



Referenties

- Budgett R, Newsholme E, Lehmann M, et al. Redefining the overtraining syndrome as the unexplained underperformance syndrome. *Br J Sports Med* 2000; 34: 67-68.
- Hackney AC en Battaglini C. The overtraining syndrome: neuroendocrine imbalances in athletes. *Brazilian Journal of Biomotricity* 2007; 2: 34-44.
- Armstrong LE en VanHeest JL. The unknown mechanism of the overtraining syndrome: clues from depression and psychoneuroimmunology. *Sports Med* 2002; 32: 185-209.
- Kenttä G en Hassmén P. Overtraining and recovery: a conceptual model. *Sports Med* 1998; 26: 1-16.
- Meeusen R, Duclos M, Gleeson M, et al. Prevention, diagnosis and treatment of the overtraining syndrome. *Eur J Sport Sci* 2006; 6: 1-14.
- Halson SL en Jeukendrup AE. Does overtraining exist? An analysis of overreaching and overtraining research. *Sports Med* 2004; 34: 967-981.
- Nederhof E, Lemmink KAPM, Visscher C, et al. Psychomotor speed: possibly a new marker for overtraining syndrome. *Sports Med* 2006; 36: 817-828.
- Matos N en Winsley RJ. Trainability of young athletes and overtraining. *J Sports Sci Med* 2007; 6: 353-367.
- Gould en Weinberg. *Foundations of exercise psychology*. Champaign, IL: Human Kinetics; 4e editie, 2006.
- Robson PJ. Elucidating the unexplained underperformance syndrome in endurance athletes: the interleukin-6 hypothesis. *Sports Med* 2003; 33: 771-781.
- Raglin J en Barzdukas A. Overtraining: the challenge of prevention. A human performance summit. *ACSM Health Fitness J* 1999; 3: 27-31.
- Morgan WP, Brown DR, Raglin JS, et al. Psychological monitoring of overtraining and staleness. *Br J Sports Med* 1987; 21: 107-114.
- O'Connor PJ, Morgan WP, Raglin JS, et al. Mood state and salivary cortisol levels following overtraining in female swimmers. *Psychoneuroendocrinology* 1989; 14: 303-310.
- Hooper S, MacKinnon LT en Hanrahan S. Mood states as an indication of staleness and recovery. *Int J Sport Psychol* 1997; 28: 1-12.
- Koutedakis Y en Sharp NC. Seasonal variations of injury and overtraining in elite athletes. *Clin J Sport Med* 1998; 8: 18-21.
- Lehmann MJ, Lormes W, Opitz-Gress A, et al. Training and overtraining: an overview and experimental results in endurance sports. *J Sports Med Phys Fitness* 1997; 37: 7-17.
- McArdle DW, Katch FI en Katch VL. *Exercise physiology: energy, nutrition, and human performance*. Lippincott Williams and Wilkins; 6e editie, 2006.
- Smith DJ. A framework for understanding the training process leading to elite performance. *Sports Med* 2003; 33: 1103-1126.
- Kuipers H. How much is too much? Performance aspects of overtraining. *Res Q Exerc Sport* 1996; 67 Suppl. 3: 65-69.
- Kuipers H. Training and overtraining: an introduction. *Med. Sci. Sports Exerc* 1998; 30: 1137-1139.
- Raglin JS. Overtraining and staleness: psychometric monitoring of endurance athletes. In: Singer RB, Murphey B en Tennant LK, redacteurs. *Handbook of research on sport psychology*. New York (NY): Macmillan, 1993; 840-850.
- Kreider R, Fry AC en O'Toole M. Overtraining in sport: terms, definitions, and prevalence. In: Kreider R, Fry AC en O'Toole M, redacteurs. *Overtraining in sport*. Champaign (IL): Human Kinetics, 1998.



- Kibler WB, Chandler TJ en Stracener ES. Musculoskeletal adaptations and injuries due to overtraining. *Exerc Sport Sci Rev* 1992; 20: 99-126.
- Smith LL. Tissue trauma: the underlying cause of overtraining syndrome? *The Journal of Strength and Conditioning Research* 2004; 18: 185-193.
- Petibois C, Cazorla G Poortmans JR, et al. Biochemical aspects of overtraining in endurance sports. *Sports Med* 2002; 32: 867-878.
- Lehmann M, Gastmann U, Baur S, et al. Selected parameters and mechanisms of peripheral and central fatigue and regeneration in overtrained athletes. In Lehmann M, Foster C, Gastmann U, et al., redacteurs. *Overload, performance incompetence, and regeneration in sport*. New York (NJ): Kluwer Academic/Plenum publishers, 1999b; 7-25.
- Bosquet L, Léger L en Legros P. Blood lactate response to overtraining in male endurance athletes. *Eur J Appl Physiol* 2001; 84: 107-114.
- Fry RW, Morton AR, Garcia-Webb P, et al. Biological responses to overload training in endurance sports. *Eur J Appl Physiol* 1992; 64: 335-344.
- Urhausen A, Gabriel H, Weiler B, et al. Ergometric and psychological findings during overtraining: a prospective long-term follow-up study in endurance athletes. *Int J Sports Med* 1998; 19: 114-120.
- Tanaka H, West KA, Duncan GE, et al. Changes in plasma tryptophan/branched chain amino acid ratio in response to training volume variation. *Int J Sports Med* 1997; 18: 270-275.
- Blomstrand E, Perrett D, Parry-Billings M, et al. Effect of sustained exercise on plasma amino acid concentrations and on 5-hydroxytryptamine metabolism in six different brain regions in the rat. *Acta Physiol Scand* 1989; 136: 473.
- Rang HP en Dale MM. *Pharmacology*. London: Churchill Livingstone, 1987.
- Mackinnon L. Immunity in athletes. *Int J Sports Med* 1997; 18; Suppl. 1: 62-68.
- Parry-Billings M, Budgett R, Koutekadis Y, et al. Plasma amino acid concentrations in the overtraining syndrome: possible effects on the immune system. *Med Sci Sports Exerc* 1992; 24: 1353-1353.
- Silverthorn DU. *Human physiology*. Benjamin Cummings; 3e Editie: 2004.
- Lehmann M, Foster C, Dickhuth HH, et al. Autonomic imbalance hypothesis and overtraining syndrome. *Med. Sci. Sports Exerc* 1998; 30: 1140-1145.
- Hug M, Mullis PE, Vogt M, et al. Training modalities: over-reaching and over-training in athletes, including a study of the role of hormones. *Best Pract Res Clin Endocrinol Metab* 2003; 17: 191-209.
- Pedersen BK, Rohde T en Zacho M. Immunity in athletes. *J Sports Med Phys Fitness* 1996; 36: 236-245.
- Shephard RJ. *Physical activity, training, and the immune response*. Cooper Pub. Group Carmel (IN), 1997.
- MacKinnon LT. Special feature for the Olympics: effects of exercise on the immune system: overtraining effects on immunity and performance in athletes. *Immunol Cell Biol* 2000; 78: 502-509.
- Reid VL, Gleeson M, Williams N, et al. Clinical investigation of athletes with persistent fatigue and/or recurrent infections. *Br J Sports Med* 2004; 38: 42-45.
- Pedersen BK en Ullum H. NK cell response to physical activity: possible mechanisms of action. *Med Sci Sports Exerc* 1994; 26: 140-146.
- Oberholzer A, Oberholzer C en Moldawer LL. Cytokine signaling: regulation of the immune response in normal and critically illstates. *Crit Care Med* 2000; 28: Suppl. 4: 3-12.
- Romagnani S. Human TH1 and TH2 subsets: regulation of differentiation and role in protection and immunopathology. *Int Arch Allergy Immunol* 1996; 98: 279-285.
- Elenkov IJ en Chrousos GP. Stress hormones, Th1/Th2 patterns, pro/anti-inflammatory cytokines and susceptibility to disease. *Trends Endocrinol Metab* 1999; 10: 359-368.



- Morel AP en Oriss TB. Crossregulation between Th1 and Th2 cells. *Crit Rev Immunol* 1998; 18: 275-303.
- Romagnani S. T-cell subsets (Th1 versus Th2). *Ann Allergy Asthma Immunol* 2000; 85: 9-18.
- Faist E, Schinkel C en Zimmer S. Update on the mechanisms of immune suppression of injury and immune modulation. *World J Surg* 1996; 20: 454-459.
- Foster C. Monitoring training in athletes with reference to overtraining syndrome. *Med Sci Sports Exerc* 1998; 30: 1164-1168.
- Clow A en Hucklebridge F. The impact of psychological stress on immune function in the athletic population. *Exerc Immunol Rev* 2001; 7: 5-17.
- Brun JF, Khaled S, Raynaud E, et al. Triphasic effects of exercise on blood rheology: which relevance to physiology and pathophysiology? *Clin Hemorheol Microcirc* 1998; 19: 89-104.
- Varlet-Marie E, Maso F, Lac G, et al. Hemorheological disturbances in the overtraining syndrome. *Clin Hemorheol Microcirc* 2004; 30: 211-218.
- Varlet-Marie E, Gaudard A, Mercier J, et al. Is the feeling of heavy legs in overtrained athletes related to impaired hemorheology? *Clin Hemorheol Microcirc* 2003; 28: 151-159.
- Callister R, Callister RJ, Fleck SJ, et al. Physiological and performance responses to overtraining in elite judo athletes. *Med Sci Sports Exerc* 1990; 22: 816-824.
- Gabriel HHW, Urhausen A, Schwarz S, et al. Cycle ergometric performance capacity, lactate and respiratory parameters during an intensive training period of endurance athletes. *Int J Sports Med* 1998; 19 Suppl.1: 24.
- Hedelin R, Kenttä G, Wiklund U, et al. Short-term overtraining: effects on performance, circulatory responses, and heart rate variability. *Med Sci Sports Exerc* 2000; 32: 1480-1484.
- McNair D, Lorr MM en Droppleman LF. Revised manual for the profile of mood states. San Diego, California, Verenigde Staten: Educational and Testing Service, 1992.
- Rietjens GJWM, Kuipers H, Adam JJ, et al. Physiological, biochemical and psychological markers for overreaching: early markers for overreaching. *Int J Sports Med* 2005; 26: 16-26.
- Nederhof E, Lemmink KAPM en Zwerver J. Cognitive speed and selective attention: possible markers for overtraining? In: Praagh EV, Coudert J, Fellmann N, et al., redacteurs. *Book of Abstracts of the 9th Annual Congress of the ECSS; 2004 Jul 3-6; Clermont-Ferrand. Clermont-Ferrand, France: European College of Sport Science, 2004: 288.*
- Kindermann W. Overtraining: expression of a disturbed autonomic regulation. *Dtsch Z Sportmed* 1986; 37: 238-245.
- Kirwan JP, Costill DL, Houmard JA, et al. Changes in selected blood measures during repeated days of intense training and carbohydrate control. *Int Sports Med* 1990; 11: 362-366.
- Achten J, Jeukendrup AE. Heart rate monitoring: applications and limitations. *Sports Med* 2003; 33: 517-538.
- Uusitalo AL, Uusitalo AJ en Rusko HK. Heart rate and blood pressure variability during heavy training and overtraining in the female athlete. *Int J Sports Med* 2000; 21: 45-53.
- Hynynen E, Uusitalo A, Kontinen N, et al. Heart rate variability during night sleep and after awakening in overtrained athletes. *Med Sci Sports Exerc* 2006; 38: 313-317.
- Morton RH. Modelling training and overtraining. *J Sports Sci* 1997; 15: 335-340.
- Harre D. Principles of sports training: introduction to the theory and methods of training. 1e editie. Berlin: Sportverlag, 1982.
- Borg G. Physical performance and perceived exertion [dissertation]. Lund, Sweden: Gleerup, 1962.
- Noble BJ en Robertson RJ. Perceived exertion. Champaign, IL: Human Kinetics, 1996.
- Kenttä G. Överträningssyndrom: en psykofysiologisk process (Overtraining: a psychophysiological process) [Swedish]. Luleå, Sweden: Högskolan i Luleå, 1996.
- Kallus KW. Recovery-stress-questionnaire: manual. Würzburg: University of Würzburg, 1995.



Burke LM, Cox GR, Culmings NK, et al. Guidelines for daily carbohydrate intake: do athletes achieve them? *Sports Med* 2001; 31: 267-99.

Coomes JS en Hamilton KL. The effectiveness of commercially available sports drinks. *Sports Med* 2000; 29: 181-209.

Jentjens R en Jeukendrup AE. Determinants of Post-Exercise Glycogen Synthesis During Short-Term Recovery. *Sports Med* 2003; 33: 117-144.

Fulcher KY en White PD. Randomised controlled trial of graded exercise in patients with the chronic fatigue syndrome. *BMJ* 1997; 314: 1647-1652.

Budgett R. ABC of sports medicine: the overtraining syndrome. *BMJ* 1994; 309: 465-468.